

SA30 RAPID START :

RAPID START:

HIV Initial Visit

HPI: @NAME@ is a @AGE@ @SEX@ presents today to initiate HIV care following positive HIV test.

HIV History

- Date of last HIV negative test & prior HIV tests ***
- History of any acute seroconversion syndrome symptoms ***
- PrEP & PEP use history ***
- Any other HIV medication use ***
- Serostatus of partners, if known ***
- Risk factors for transmission: ***
- Current symptoms related to viremia: ***

Past Medical History:

History of Hepatitis: ***

Cardiovascular disease risk: @ASCVD RISK SHORT@

History of Malignancy: ***

Family history of malignancy:***

History anal/cervical pap, results: ***

OB/GYN: {Yes or No:12479:::1}

- Prior pregnancies: ***
- Present contraception: ***
- Previous pap smear and mammography results: ***

· Potential plans for future pregnancies: ***

Tuberculosis risk factors: ***

Sexual & Social History:

@SOGI@

SEXUAL HISTORY:

Exchange for favors (money, goods, etc): ***

@SEXUALACTIVITYHX@

@SEXUALHISTORY@

SUBSTANCE USE/ABUSE:

@ALCHX@

Tobacco Use:

@TOBH@

@SUBSTANCE@

Support/Family/Friends: ***

Barriers to Care: ***

PHQ-9 Completed: {YES/NA/NO:128076}

@DOCFLOW(600001)@

ROS

@REVIEWOFSYSTEMS@

ASSESSMENT & PLAN:

@ASSESSPLANPORCH@

The patient was educated on the pathophysiology of HIV disease using models and other visual aids; multiple aspects of HIV disease, including transmission and safer sex, U=U; living with HIV disease; medical care of HIV patients; lab tests; as well as medication adherence and reason to medicate. Questions answered and support given.

Patient is ready to start ART today.

Patient rapid started on {HIV Medications:228059}.

Potential side effects reviewed, patient agrees to call for any concerns.

Adherence counseling given.

Labs as ordered.

RTC 4 weeks for assessment of response.

Follow-up Scheduled:

@AFUTAPPT@